



Arundel Orb Surface Mount




Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.25 lbs
	Lead time	Painted Metal: 3 days Brass: 4 weeks Painted Metal / Brass: 4 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View







Arundel Orb Surface Mount, Plug-in



Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.75 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks Painted Metal / Brass: 4 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	Integrated dimmer switch
	Cord Length	16 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed,  

Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.
-------	--

Updated	January 27, 2026
---------	------------------



Arundel Orb Surface Mount, Outdoor




Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.25 lbs
	Lead time	Painted Metal: 4 weeks Brass: 6 weeks Painted Metal / Brass: 4 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View



Side View



Front View: Ceiling Installation



Isometric View



Arundel Orb Surface Mount, Slim




Technical Specifications	Materials	Steel or brass, glass
	Product weight	2.75 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks Painted Metal / Brass: 4 weeks
	Bulbs included (1)	G9 / 120V / 3.0 W / 300 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   


Notes	1. This fixture can be installed on a wall or ceiling.
	2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View



Brass Arundel Orb Surface Mount




Technical Specifications	Materials	Brass, glass
	Product weight	3.25 lbs
	Lead time	4 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View







Brass Arundel Orb Surface Mount, Plug-in



Technical Specifications	Materials	Brass, glass
	Product weight	3.75 lbs
	Lead time	4 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	Integrated dimmer switch
	Cord Length	16 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  

Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.
-------	--

Updated	January 27, 2026
---------	------------------



Brass Arundel Orb Surface Mount, Outdoor




Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.25 lbs
	Lead time	6 weeks
	Bulbs included (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View



Brass Arundel Orb Surface Mount, Slim




Technical Specifications	Materials	Brass, glass
	Product weight	2.75 lbs
	Lead time	4 weeks
	Bulbs included (1)	G9 / 120V / 3.0 W / 300 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   


Notes	1. This fixture can be installed on a wall or ceiling. 2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.
-------	---

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black Bone Oxide Red Reed Green Peach

Brass



Brass Patina Brass Blackened Brass Pewter