



Arundel Surface Mount




Technical Specifications	Materials	Steel
	Product weight	3 lbs
	Lead time	3 days
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Bulb Placement



Arundel Surface Mount, Plug-in




Technical Specifications	Materials	Steel
	Product weight	3.5 lbs
	Lead time	2 weeks
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Cord Length	16 ft
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed
		 


Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Top View



Inline Dimmer Switch Detail



Arundel Surface Mount, Slim




Technical Specifications	Materials	Steel
	Product weight	2.25 lbs
	Lead time	2 weeks
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   


Notes	1. This fixture can be installed on a wall or ceiling.
	2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Bulb Placement



Brass Arundel Surface Mount




Technical Specifications	Materials	Brass
	Product weight	3 lbs
	Lead time	4 weeks
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Bulb Placement



Brass Arundel Surface Mount, Plug-in




Technical Specifications	Materials	Brass
	Product weight	3.5 lbs
	Lead time	4 weeks
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Cord Length	16 ft
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed
		 


Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.
-------	--

Updated	January 27, 2026
---------	------------------


Front View




Side View



Top View



Inline Dimmer Switch Detail



Brass Arundel Surface Mount, Slim




Technical Specifications	Materials	Brass
	Product weight	2.25 lbs
	Lead time	4 weeks
	Bulbs included (3)	E12 / 120V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	30 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   


Notes	1. This fixture can be installed on a wall or ceiling.
	2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated	January 27, 2026
---------	------------------


Front View




Side View



Front View: Ceiling Installation



Bulb Placement



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black Bone Oxide Red Reed Green Peach

Brass



Brass Patina Brass Blackened Brass Pewter