Disc Surface Mount

Technical Specifications
sales@incommonwith.com
+1 (917) 830-8700
incommonwith.com



Disc Surface Mount, Small



Technical Specifications

Materials	Glass, steel or brass
Product weight	2.5 lbs
Lead time	12 weeks
Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
Dimmer	TRIAC
Max wattage	10 W
Certifications	cULus listed, cETLus listed, damp-rated

Notes


1. This fixture can be installed on a wall or ceiling.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship.
3. Dimensions may vary within one inch.

Updated August 12, 2026


Disc Surface Mount, Small

Technical Drawings


Front View




Side View



Front View: Ceiling Installation



Isometric View



Disc Surface Mount, Small Plug-in



Technical Specifications		
	Materials	Glass, steel or brass
	Product weight	3 lbs
	Lead time	12 weeks
	Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	In-line dimmer switch
	Cord Length	16 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated

Notes


1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. Fixtures ordered in brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
3. Custom cord color can be specified for an additional cost; please inquire.
4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
5. Dimensions may vary within one inch.

Updated	August 12, 2026


Disc Surface Mount, Small Plug-in

Technical Drawings


Front View




Side View



Top View



Inline Dimmer Switch Detail



Disc Surface Mount, Small Outdoor



Technical Specifications

Materials	Glass, steel or brass
Product weight	2.5 lbs
Lead time	12 weeks
Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
Dimmer	TRIAC
Max wattage	10 W
Certifications	cULus listed, cETLus listed, wet-rated

Wet Rated

Notes


1. This fixture can be installed on a wall or ceiling.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship.
3. Dimensions may vary within one inch.

Updated August 12, 2026


Disc Surface Mount, Small Outdoor

Technical Drawings


Front View




Side View



Front View: Ceiling Installation



Isometric View



Disc Surface Mount, Medium



Technical Specifications		
	Materials	Glass, steel or brass
	Product weight	7.75 lbs
	Lead time	12 weeks
	Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated

Notes


1. This fixture can be installed on a wall or ceiling.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship.
3. Dimensions may vary within one inch.

Updated August 12, 2026


Disc Surface Mount, Medium

Technical Drawings


Front View




Side View



Front View: Ceiling Installation



Isometric View



Disc Surface Mount, Medium Plug-in



Technical Specifications		
	Materials	Glass, steel or brass
	Product weight	8.25 lbs
	Lead time	12 weeks
	Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	In-line dimmer switch
	Cord Length	16 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated

Notes


1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. Fixtures ordered in brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
3. Custom cord color can be specified for an additional cost; please inquire.
4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
5. Dimensions may vary within one inch.

Updated	August 12, 2026


Disc Surface Mount, Medium Plug-in

Technical Drawings


Front View




Side View



Top View



Inline Dimmer Switch Detail



Disc Surface Mount, Medium Outdoor



Technical Specifications		
	Materials	Glass, steel or brass
	Product weight	7.75 lbs
	Lead time	12 weeks
	Bulbs inlcuded (1)	GU24 / 120 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated Wet Rated


Notes	
1.	This fixture can be installed on a wall or ceiling.
2.	This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship.
3.	Dimensions may vary within one inch.

Updated	August 12, 2026


Disc Surface Mount, Medium Outdoor

Technical Drawings


Front View




Side View



Front View: Ceiling Installation



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Hand-blown Glass




Opaline



Sandblasted White



Sandblaster Amber



Pistachio

Hand-blown Glass



Opaline
Pistachio Rim



Opaline
Red Rim



Pistachio
Pistachio Rim

Brass



Brass



Patina Brass



Blackened Brass



Pewter

Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black



Bone



Oxide Red



Reed Green



Peach