In Common With

Ecco Surface Mount

Technical Specifications
sales@incommonwith.com
+1 (917) 830-8700
incommonwith.com



Ecco Surface Mount, Medium



Technical Specifications		
	Materials	Glass, Wood, Steel
	Product weight	7.5 lbs
	Lead time	12 weeks
	Integrated LED	3,849 lm / 2700 K / 40.5 W / 92+ CRI
	Input Voltage	120 V, 240 V or 277
	Dimmer	TRIAC, ELV or 0–10 V
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant

Notes


1. This fixture can be installed on a wall or ceiling.
2. This fixture can be installed vertically or horizontally.
3. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.
5. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship.
6. Dimensions may vary within half an inch.
7. The LED lifetime is 50,000 hours.
8. The driver, (class 2 power unit) is included within the fixture.
9. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
10. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated November 18,2025


Ecco Surface Mount, Medium

Technical Drawings

Front View



Side View



Top View



Isometric View



Ecco Surface Mount, Large



Technical Specifications		
	Materials	Glass, Wood, Steel
	Product weight	21 lbs
	Lead time	12 weeks
	Integrated LED	11,592 lm / 2700 K / 126 W / 92+ CRI
	Input Voltage	120 V, 240 V or 277
	Dimmer	TRIAC, ELV or 0–10 V
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant

Notes


1. This fixture can be installed on a wall or ceiling.
2. This fixture can be installed vertically or horizontally.
3. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.
4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
5. Dimensions may vary within half an inch.
6. The LED lifetime is 50,000 hours.
7. The driver, (class 2 power unit) is included with the fixture is installed remotely.
8. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
9. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated	November 18,2025


Ecco Surface Mount, Large

Technical Drawings


Front View




Side View




Top View



Isometric View



Front View




Solid



Powder



Stripe



Bi-directional Stripe


Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Solid Glass


Almond


Olive


Pecan


Cherry

Powder Glass


Cirrus



Moss



Umber


Plum

Striped Glass


Vellum


Zinnia



Marigold


Garnet

Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Wood



Oak



Leopardwood



Darkened Leopardwood