



Fixed Down Sconce




Technical Specifications	Materials	Steel / Brass
	Product weight	1.25 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be specified with a rotary dimmer switch installed on its base.
-------	---

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Fixed Down Sconce, Left Switch




Technical Specifications	Materials	Steel / Brass
	Product weight	1.25 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. The dimmer switch can be located on either the left or right side of the shades.
-------	---

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Fixed Down Sconce, Right Switch




Technical Specifications	Materials	Steel / Brass
	Product weight	1.25 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. The dimmer switch can be located on either the left or right side of the shades.
-------	---

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Fixed Down Sconce, Plug-in




Technical Specifications	Materials	Steel / Brass
	Product weight	1.75 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Inline dimmer switch
	Cord Length	16 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  


Notes	1.	The plug-in version of this fixture will be supplied with a Porcelain I E12 / 110v / 3.0 W / 180 lm / 2700 K bulb.
	2.	Fixtures ordered in painted metal with an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
	3.	Fixtures ordered in brass finishes with an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
	4.	Custom cord color can be specified for an additional cost; please inquire.

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Inline Dimmer Switch Detail



Fixed Down Sconce, Plug-in Left Switch




Technical Specifications	Materials	Steel / Brass
	Product weight	1.75 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Cord Length	10 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  


Notes	1.	Fixtures ordered in painted metal will come with a 10-foot black fabric cord.
	2.	Fixtures ordered in brass finishes will come with a 10-foot chocolate brown fabric cord.
	3.	Custom cord color can be specified for an additional cost; please inquire.
	4.	The dimmer switch can be located on either the left or right side of the shades.

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Fixed Down Sconce, Plug-in Right Switch




Technical Specifications	Materials	Steel / Brass
	Product weight	1.75 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	Integrated dimmer switch
	Cord Length	10 ft
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  


Notes	1.	Fixtures ordered in painted metal will come with a 10-foot black fabric cord.
	2.	Fixtures ordered in brass finishes will come with a 10-foot chocolate brown fabric cord.
	3.	Custom cord color can be specified for an additional cost; please inquire.
	4.	The dimmer switch can be located on either the left or right side of the shades.

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Fixed Down Sconce, Slim




Technical Specifications	Materials	Steel / Brass
	Product weight	1.25 lbs
	Lead time	Painted Metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	E12 / 120 V / 4.0 W / 220 lm 2200 K - 3000 K / warm on dim
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   


Notes	1. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.
-------	--

Updated	January 28, 2026
---------	------------------


Front View




Side View



Top View



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black Bone Oxide Red Reed Green Peach

Brass



Brass Patina Brass Blackened Brass Pewter