



Orb 4 Surface Mount




Technical Specifications	Materials	Steel or brass, glass
	Product weight	1.25 lbs
	Lead time	Painted metal: 3 days Brass: 4 weeks
	Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	November 18, 2025
---------	-------------------


Front View




Side View



Front View: Ceiling Installation



Isometric View




Orb 4 Surface Mount, Plug-in




Technical Specifications	Materials	Steel or brass, glass
	Product weight	1.75 lbs
	Lead time	Painted metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm 2700 K / dimmable
	Dimmer	Inline dimmer switch
	Cord length	16 feet
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  
Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.	
Updated	November 18, 2025	


Front View




Side View



Top View



Inline Dimmer Switch Detail



Orb 4 Surface Mount, Outdoor




Technical Specifications	Materials	Steel or brass, glass
	Product weight	1.25 lbs
	Lead time	Painted metal: 4 weeks Brass: 6 weeks
	Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated
		  


Notes	1. This fixture can be installed on a wall or ceiling.
-------	--

Updated	November 18, 2025
---------	-------------------


Front View



Side View



Front View: Ceiling Installation



Isometric View




Orb 4 Surface Mount, Slim




Technical Specifications	Materials	Steel or brass, glass
	Product weight	1 lb
	Lead time	Painted metal: 3 days Brass: 4 weeks
	Bulbs included (1)	G9 / 110 V / 3.0 W / 300 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated, ADA compliant
		   
Notes	1. This fixture can be installed on a wall or ceiling. 2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.	
Updated	November 18, 2025	


Front View



Side View



Front View: Ceiling Installation



Isometric View




Orb 5 Surface Mount




Technical Specifications	Materials	Steel or brass, glass
	Product weight	2 lbs
	Lead time	Painted metal: 3 days Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated   
	Notes	1. This fixture can be installed on a wall or ceiling.
	Updated	November 18, 2025


Front View




Side View



Front View: Ceiling Installation







Isometric View



Orb 5 Surface Mount, Plug-in



Technical Specifications	Materials	Steel or brass, glass
	Product weight	2 lbs
	Lead time	Painted metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	Inline dimmer switch
	Cord length	16 feet
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  
Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.	
Updated	November 18, 2025	




Orb 5 Surface Mount, Outdoor




Technical Specifications	Materials	Steel or brass, glass
	Product weight	2 lbs
	Lead time	Painted metal: 4 weeks Brass: 6 weeks
	Bulbs included (1)	GU24 / 110 V / 5.0 W / 550 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated   
	Notes	1. This fixture can be installed on a wall or ceiling.
Updated	November 18, 2025	


Front View




Side View



Front View: Ceiling Installation







Isometric View



Orb 8 Surface Mount







Technical Specifications	Materials	Steel or brass, glass
	Product weight	2.75 lbs
	Lead time	Painted metal: 3 days Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 8.5 W / 850 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  
Notes	1. This fixture can be installed on a wall or ceiling.	
Updated	November 18, 2025	



Orb 8 Surface Mount, Plug-in



Technical Specifications	Materials	Steel or brass, glass
	Product weight	2.75 lbs
	Lead time	Painted metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 8.5 W / 850 lm 2700 K / dimmable
	Dimmer	Inline dimmer switch
	Cord length	16 feet
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  
Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.	
Updated	November 18, 2025	




Orb 8 Surface Mount, Outdoor




Technical Specifications	Materials	Steel or brass, glass
	Product weight	2.75 lbs
	Lead time	Painted metal: 4 weeks Brass: 6 weeks
	Bulbs included (1)	GU24 / 110 V / 8.5 W / 850 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated   
	Notes	1. This fixture can be installed on a wall or ceiling.
Updated	November 18, 2025	


Front View




Side View



Front View: Ceiling Installation







Isometric View



Orb 10 Surface Mount







Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.5 lbs
	Lead time	Painted metal: 3 days Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 9.5 W / 950 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, damp-rated
		  
Notes	1. This fixture can be installed on a wall or ceiling.	
Updated	November 18, 2025	



Orb 10 Surface Mount, Plug-in







Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.5 lbs
	Lead time	Painted metal: 2 weeks Brass: 4 weeks
	Bulbs included (1)	GU24 / 110 V / 9.5 W / 950 lm 2700 K / dimmable
	Dimmer	Inline dimmer switch
	Cord length	16 feet
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed  
Notes	1. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 2. Fixtures ordered with brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. Custom cord color can be specified for an additional cost; please inquire.	
Updated	November 18, 2025	



Orb 10 Surface Mount, Outdoor



Technical Specifications	Materials	Steel or brass, glass
	Product weight	3.5 lbs
	Lead time	Painted metal: 4 weeks Brass: 6 weeks
	Bulbs included (1)	GU24 / 110 V / 9.5 W / 950 lm 2700 K / dimmable
	Dimmer	TRIAC
	Max wattage	10 W
	Certifications	cULus listed, cETLus listed, wet-rated   
	Notes	1. This fixture can be installed on a wall or ceiling.
	Updated	November 18, 2025



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black Bone Oxide Red Reed Green Peach

Brass



Brass Patina Brass Blackened Brass Pewter